


ERSSTV2-COBESST 1881-1910 mean




DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。

ERSSTV2-COBESST 1881-1910 mean




DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。

ERSSTV2-COBESST 1911-1940 mean




DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。

ERSSTV2-COBESST 1911-1940 mean




DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。

ERSSTV2-COBESST 1941-1970 mean




DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。

ERSSTV2-COBESST 1941-1970 mean




DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。

ERSSTV2-COBESST 1971-2000 mean




DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。

ERSSTV2-COBESST 1971-2000 mean



DIFFERENCES OF MONTHLY NORMAL SEA SURFACE TEMPERATURE BETWEEN ERSST.V2 AND COBE-SST FOR EVERY 30 YEARS

Each $1^{\circ} \times 1^{\circ}$ box is colored according to the value. Contour interval is 0.2°C . Dashed contours indicate negative values. The period is written in the top title of figure. The target month is written in the title of each map.

ERSST.V2とCOBE-SSTの30年毎の各月海面水温平年値の差

値の大きさにより、 $1^{\circ} \times 1^{\circ}$ 格子を色分けしている。等値線の間隔は 0.2°C 。破線は負の値を示す。図上の表題に平均期間を示す。また、各図の表題に対象月を示す。